



SPC Flooring Collection



Find your collection

From everyday homes to busy shared spaces, explore the finish, format and character of each collection



Select

03

Everyday interiors. Seven wood-look finishes

[VIEW COLLECTION](#)




Woodline

17

Fourteen finishes for a wider range of spaces

[VIEW COLLECTION](#)



Majestic Forest

39

Natural variation. A distinctive flagship palette

[VIEW COLLECTION](#)

Images are interior visualisations unless identified as an actual installation.

SELECT

SPC COLLECTION

Designed for everyday interiors

Made for everyday living

Wood-look finishes for the spaces you live in. Select combines SPC construction with water resistance and straightforward care.

5 mm

Overall thickness

IXPE

Integrated backing

Click

Plank installation



AT HOME

Living rooms, bedrooms and dining spaces

Seven finishes

A considered palette for contemporary interiors



Lima

1001



Manila

1004



Osaka

1006



Sharm

1009




Alex

1010



Hurgada

1013



Dahab

1014

Lighting affects colour. Confirm your choice with a physical sample.



1001

Lima

Cool grey tones with a quiet wood character



FINISH DETAIL



1004

Manila

Soft grey and beige, gently balanced



FINISH DETAIL

1006

Osaka

Deep brown tones with a richly grained surface



FINISH DETAIL



1009

Sharm

Warm neutrals with an understated grain



FINISH DETAIL



1010

Alex

Soft grey wood with natural tonal variation



FINISH DETAIL



1013

Hurgada

Warm brown tones with a grounded character



FINISH DETAIL



1014

Dahab


Layered grey tones with light and dark detail



FINISH DETAIL

Built in layers

Five layers, from the protective surface to the integrated backing



4 + 1 mm

5 mm overall thickness

4 mm flooring body + 1 mm IXPE backing

Schematic illustration. Layer thicknesses are not shown to scale.

Select, specified

Product dimensions and construction

PROPERTY	REPORTED VALUE
Plank size	1220 × 180 mm
Total thickness	5 mm
Flooring body	4 mm
IXPE backing	1 mm
Wear layer	0.3 mm
Planks per box	11
Boxes per pallet	60
Approximate weight	8 kg/m ²

SOURCE DOCUMENT

Values follow the supplied ACE SPC technical specification card. The 4 mm body is shown separately from the 1 mm backing.

Performance reference

Manufacturer-reported values from the supplied technical card

PROPERTY	REPORTED VALUE
Peeling strength between layers	Pass
Shear force between layers	Good
Residual indentation	Mean value 0.01 mm
Shrinkage	$\leq 0.05\%$
Curling	$\leq 0.02\%$
Elastic curvature	No damage
Chemical resistance	Class 0
Castor chair continuous use	No disturbance / no delamination
Colour fastness	6–7
Wear resistance	Pass
EN 71-3	Complies
Slip resistance	R9
Reported classification	23.34.43

Values are reproduced as supplied. The reported classification does not replace assessment of the intended application.

Documented performance

Certification and testing supplied for the Select collection

01 / CERTIFICATION

FloorScore®

SPC flooring with IXPE backing is covered by the supplied FloorScore documentation.

Registration

SCS-FS-20473

Certificate validity

18 Feb 2026 – 28 Feb 2027

02 / TEST REPORT

TÜV Rheinland

The supplied report records a pass for the tested SPC flooring sample under the referenced indoor-air emissions method.

Report

304152920a 001

Documentation issued for ACE Flooring Manufacturing.



WOODLINE

SPC COLLECTION

Natural character. Made for real spaces

Made for real spaces

Fourteen wood-look finishes, from pale and muted tones to warm oak and deeper shades. A versatile collection for modern interiors.

14 finishes

One considered palette

1220 × 182 mm

Straight-plank format

5 mm

With an integrated backing



Explore the finish. Imagine the space

Fourteen finishes

Olive, beige, pale and warm wood tones



Barkwood

3014-8



Honey

0051-5



Birch

1218-11




Natural

10381-15




Nordico

3013-5



Urbano

1359-7



Cedar

1113-37

Lighting affects colour. Confirm your choice with a physical sample.

A broader palette

Sandy finishes, quiet neutrals and deeper wood character



New Desert

1359-3



Desert

1354-1



Almond

3007-3



Heritage

1223-24



Smoky

0050-2



Walnut

1132-10




Oak

1309-5

Lighting affects colour. Confirm your choice with a physical sample.

The plank, in detail

A straight-plank format with an integrated backing



PLANK PLAN / PROPORTIONAL

PROPERTY	REPORTED VALUE
Plank dimensions	1220 × 182 mm
Overall thickness	5 mm
Flooring body	4 mm
Integrated backing	1 mm

Collection-specific technical information appears at the end of this section.



3014-8

Barkwood

Olive-brown tones with natural oak character



FINISH DETAIL



0051-5

Honey

Warm beige with gentle golden undertones



FINISH DETAIL



1218-11

Birch

Creamy ivory with a soft, whitewashed grain



FINISH DETAIL




10381-15

Natural

Warm oak tones with a rich, flowing grain



FINISH DETAIL




3013-5

Nordico

Light greige with a soft wood character



FINISH DETAIL



1359 - 7

Urbano

Cool, pale tones with clean natural lines



FINISH DETAIL

1113-37


Cedar

Golden brown with a richly defined grain

FLOORING / IBS



FINISH DETAIL



1359 - 3

New Desert

Sandy tones with a gentle golden warmth



FINISH DETAIL



1354-1

Desert

Light sandy tones with fine, subtle grain



FINISH DETAIL



3007-3

Almond

Muted beige-grey with quiet wood detail



FINISH DETAIL



1223-24

Heritage

Deep grey-brown with a strong wood character



FINISH DETAIL



0050-2

Smoky

Rich warmth with fine, linear grain



FINISH DETAIL




1132-10

Walnut

Light beige with a soft, flowing grain



FINISH DETAIL



1309-5

Oak

Golden oak tones with a welcoming warmth



FINISH DETAIL

Built in layers

From the wood-look surface to the integrated backing



01 **UV protective coating**

A protective finish at the surface.

02 **Wear layer**

A clear layer that helps protect the printed design.

03 **Decorative film**

The wood colour and grain beneath the wear layer.

04 **Rigid SPC core**

The mineral-based core that gives the plank rigidity.

05 **Integrated backing**

An attached underlayer beneath the flooring body.

4 + 1 mm

5 mm overall thickness

Layer illustration: Kamston. Schematic; thicknesses are not shown to scale.

Made for different spaces

A collection for residential, hospitality and commercial interiors



HOSPITALITY

Hotel rooms & suites

Honey / 0051-5



PUBLIC AREAS

Lobbies & lounges

Barkwood / 3014-8



EVERYDAY INTERIORS

Kitchens & living spaces

Birch / 1218-11



WORK & RETAIL

Offices & showrooms

Almond / 3007-3

Confirm suitability against the project conditions, subfloor preparation and current Woodline technical requirements.

Woodline, specified

Product information for specification and project planning

PROPERTY	REPORTED VALUE
Product type	SPC flooring
Plank dimensions	1220 × 182 mm
Overall thickness	5 mm
Flooring body	4 mm
Integrated backing	1 mm
Core composition	70–75% calcium carbonate; 25–30% PVC + additives
Surface layer	Transparent UV-coated vinyl
Locking system	i4F Drop-Lock
Storage temperature	15–30°C
Storage conditions	Store flat in a dry, shaded area.

Material, locking and storage details follow the supplied manufacturer SPC system sheet. Refer to the current product documentation before specification.

Manufactured by Kamston · Supplied in Egypt by IBS-ElSherbiny

MAJESTIC FOREST

SPC COLLECTION

Natural variation. Lasting character



Natural variation Real character

Light and dark tones sit together across the floor.
Grain and knots vary from plank to plank,
creating a natural wood look.

1220 × 182 mm

Plank format

5 + 1 mm

Construction



Six finishes

Natural variation in every finish



Golden

1328



Earth

1328-3



Eterna

1328-1



Stormwood

2022



Ebony

1328-4



Vintage

1328-2

Lighting affects colour. Confirm your choice with a physical sample.



1328

Golden

Pale gold. Soft grey. Natural variation



FINISH DETAIL



1328-3

Earth

Warm amber tones with natural variation



FINISH DETAIL



1328-1

Eterna

Grey-brown tones with natural wood character



FINISH DETAIL



2022

Stormwood

Silver-grey tones with a weathered wood pattern



FINISH DETAIL



1328-2

Vintage

Deep charcoal tones with natural wood grain




FINISH DETAIL



1328-4

Ebony

Dark plum tones with natural wood variation



FINISH DETAIL

The spirit of the forest

Light, texture and depth. The essence of Majestic Forest

01 / LIGHT & SHADE

A changing palette

Light moves through the canopy, revealing warm highlights and deeper shadows. Every glance reveals another tone.



LIGHT THROUGH THE CANOPY

02 / CHARACTER

Time leaves its signature

Bark, knots and irregular markings give each tree its own presence. Beauty lies in the details that never repeat exactly.



THE CHARACTER OF BARK

03 / DEPTH

A quiet sense of grandeur

Layer upon layer, the forest reveals itself. Tall trunks and distant light create a sense of scale, calm and lasting presence.



LAYERS OF WOODLAND

Inside Majestic Forest

A layered SPC construction, designed as one complete plank



5 + 1 / CONSTRUCTION

6 mm

TOTAL THICKNESS

5 mm

Flooring body

Includes the decorative and wear layers.

1 mm

IXPE underlay

Integrated backing beneath the SPC body.

SPC LAYER CONSTRUCTION

01 / SURFACE

0.5 mm wear layer

Transparent protection over the printed wood-look décor.

02 / TEXTURE

EIR embossing

A textured surface that follows the printed wood pattern.

03 / CORE

Rigid SPC body

A dense, mineral-based core forms the structure of the flooring.

04 / INSTALLATION

i4F Drop-Lock

A mechanical locking system joins the planks during installation.

Layer illustration: Kamston. Schematic; layer thicknesses are not shown to scale.

Technical specification

Majestic Forest / SPC plank flooring

1220 × 182 mm

PLANK FORMAT

6 mm

TOTAL THICKNESS

0.5 mm

WEAR LAYER

PROPERTY

MAJESTIC FOREST

Product type

SPC plank flooring

Construction

5 + 1 mm

Flooring body

5 mm

Integrated underlay

1 mm IXPE

Surface embossing

EIR (Embossed in Register)

Locking system

i4F Drop-Lock

Format

Straight plank

Appearance

Wood-look décor with tonal variation

Collection

Six finishes

SPECIFICATION SUPPORT

Discuss the intended traffic, subfloor and site conditions with IBS.
Request the current collection-specific test reports for project approval.

Source: Kamston Majestic product listings, checked September 2026; supplied SPC catalogue (IXPE backing).

Spaces in motion

The warmth of wood, in places that welcome people every day



PROJECT / HURGHADA AIRPORT

Terminal 2 departures

Golden / 1328. Actual installation supplied by IBS-ElSherbiny



Hospitality & retail

Lobbies, reception areas
and shopping interiors.



Workplaces

Offices, meeting rooms
and shared circulation.



Public interiors

Libraries, universities
and cultural venues.

Lower images: interior visualisations. Confirm suitability against the project specification and installation conditions.



Let's talk flooring

For samples, technical information
and project enquiries

CALL & WHATSAPP

01002144044

01008501544

01001244044

Chat with IBS on WhatsApp

ibs@elsherbiny.net

www.elsherbiny.net

VISIT IBS

6 Murad Bek Street, Ismailia Square
Heliopolis, Cairo, Egypt