

# SELECT

SPC COLLECTION

Designed for everyday interiors

# Made for everyday living

Wood-look finishes for the spaces you live in. Select combines SPC construction with water resistance and straightforward care.

## 5 mm

Overall thickness

## IXPE

Integrated backing

## Click

Plank installation

AT HOME

Living rooms, bedrooms and dining spaces



# Seven finishes

A considered palette for contemporary interiors



Lima

1001



Manila

1004



Osaka

1006



Sharm

1009




Alex

1010



Hurgada

1013



Dahab

1014

Lighting affects colour. Confirm your choice with a physical sample.



1001

# Lima

Cool grey tones with a quiet wood character



FINISH DETAIL



1004

# Manila

Soft grey and beige, gently balanced



FINISH DETAIL

1006

# Osaka

Deep brown tones with a richly grained surface



FINISH DETAIL



1009

# Sharm

Warm neutrals with an understated grain



FINISH DETAIL



1010

# Alex

Soft grey wood with natural tonal variation



FINISH DETAIL



1013

# Hurgada

Warm brown tones with a grounded character



FINISH DETAIL



1014

# Dahab


Layered grey tones with light and dark detail



FINISH DETAIL

# Built in layers

Five layers, from the protective surface to the integrated backing



4 + 1 mm

5 mm overall thickness

4 mm flooring body + 1 mm IXPE backing

Schematic illustration. Layer thicknesses are not shown to scale.

# Select, specified

Product dimensions and construction

| PROPERTY           | REPORTED VALUE      |
|--------------------|---------------------|
| Plank size         | 1220 × 180 mm       |
| Total thickness    | 5 mm                |
| Flooring body      | 4 mm                |
| IXPE backing       | 1 mm                |
| Wear layer         | 0.3 mm              |
| Planks per box     | 11                  |
| Boxes per pallet   | 60                  |
| Approximate weight | 8 kg/m <sup>2</sup> |

## SOURCE DOCUMENT

Values follow the supplied ACE SPC technical specification card. The 4 mm body is shown separately from the 1 mm backing.

# Performance reference

Manufacturer-reported values from the supplied technical card

| PROPERTY                        | REPORTED VALUE                   |
|---------------------------------|----------------------------------|
| Peeling strength between layers | Pass                             |
| Shear force between layers      | Good                             |
| Residual indentation            | Mean value 0.01 mm               |
| Shrinkage                       | $\leq 0.05\%$                    |
| Curling                         | $\leq 0.02\%$                    |
| Elastic curvature               | No damage                        |
| Chemical resistance             | Class 0                          |
| Castor chair continuous use     | No disturbance / no delamination |
| Colour fastness                 | 6–7                              |
| Wear resistance                 | Pass                             |
| EN 71-3                         | Complies                         |
| Slip resistance                 | R9                               |
| Reported classification         | 23.34.43                         |

Values are reproduced as supplied. The reported classification does not replace assessment of the intended application.

# Documented performance

Certification and testing supplied for the Select collection

## 01 / CERTIFICATION

### FloorScore®

SPC flooring with IXPE backing is covered by the supplied FloorScore documentation.

Registration

SCS-FS-20473

Certificate validity

18 Feb 2026 – 28 Feb 2027

## 02 / TEST REPORT

### TÜV Rheinland

The supplied report records a pass for the tested SPC flooring sample under the referenced indoor-air emissions method.

Report

304152920a 001

Documentation issued for ACE Flooring Manufacturing.



# Let's talk flooring

For samples, technical information  
and project enquiries

CALL & WHATSAPP

01002144044

01008501544

01001244044

[Chat with IBS on WhatsApp](#)

[ibs@elsherbiny.net](mailto:ibs@elsherbiny.net)

[www.elsherbiny.net](http://www.elsherbiny.net)

VISIT IBS

6 Murad Bek Street, Ismailia Square  
Heliopolis, Cairo, Egypt